



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/781,783

02/20/2004

Hiroki Ooi

1075.1251

4549

21171

7590

11/02/2006

STAAS & HALSEY LLP

SUITE 700

1201 NEW YORK AVENUE, N.W.

WASHINGTON, DC 20005

EXAMINER

KIM, DAVID S

ART UNIT

PAPER NUMBER

2613

DATE MAILED: 11/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/781,783

Applicant(s)

OOI ET AL.

Examiner

David S. Kim

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 February 2004 and 03 October 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-12 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. **Claims 1-12** are rejected under 35 U.S.C. 103(a) as being unpatentable over Tager et al. (U.S. Patent Application Publication No. US 2004/0208608 A1, hereinafter "Tager").

Regarding claim 1, Tager discloses:

A wavelength division multiplexing optical repeating transmission method (Fig. 4) for performing repeating transmission of a wavelength multiplexed optical signal along an optical transmission line interconnecting a terminal apparatus for transmission (115) and a terminal apparatus for reception (116) and having a repeating interval divided by a plurality of repeating apparatus (117), comprising steps executed by each of said repeating apparatus disposed at end points of the divisional repeating intervals, the steps including:

a first dispersion compensation step (note the dispersion compensation previous to each site 117 that can be obviously embodied by DCM 113A of Fig. 2B) of compensating for a dispersion included in the wavelength multiplexed optical signal having propagated divisional repeating interval on terminal apparatus side transmission so as to be included within a tolerance set in advance;

an optical add/drop multiplexing step (implied by switching site 117 that can be obviously embodied by add/drop node 109 of Fig. 2B) of performing an optical add/drop multiplexing process for the wavelength multiplexed optical signal for which the dispersion compensation process has been performed at the first dispersion compensation step; and

a second dispersion compensation step (note the dispersion compensation after each site 117 that can be obviously embodied by DCM 113B of Fig. 2B) of performing a dispersion compensation process with an over compensation (notice the over compensation past the zero line after each 117 site) amount for the wavelength multiplexed optical signal for which the optical add/drop multiplexing process has been performed at the optical add/drop multiplexing step such that the sum of the compensation amount at the second dispersion compensation step and the compensation amount at the first dispersion compensation step (e.g., sum is shown by the dispersion drop through a site 117, i.e., portion above the zero line plus the portion below the zero line) exhibits a predetermined proportion to the dispersion appearing in the divisional repeating interval on the terminal apparatus side for transmission (predetermination is implied by the planned dispersion map in Fig. 4, note that each dispersion drop though a site 117 is a predetermined proportion to the dispersion value appearing at the left side of each repeating interval) and transmitting a resulting signal to the divisional repeating interval on the terminal apparatus side for reception;

the ratio of the over compensation amount at the second dispersion compensation step to the sum of the dispersion compensation amounts at the first and second dispersion compensation steps being set so as to gradually vary together with the transmission distance (e.g., Fig. 4, the over compensation amount at each site 117 decreases with increasing distance and the sum remains constant, thus, the ratio of (decreasing value/constant) gradually decreases with the distance) from said terminal apparatus transmission at which said repeating apparatus is disposed on said light transmission line (Applicant's ratio can be visually noticed by the dispersion map of Applicant's Fig. 20, which is similar to the dispersion map of Tager's Fig. 4).

Tager does not expressly disclose:

the optical add/drop multiplexing step of performing an optical add/drop multiplexing process *for each wavelength components of the wavelength multiplexed optical signal* for which the dispersion compensation process has been performed at the first dispersion compensation step.

However, performing optical add/drop multiplexing *for each wavelength component* of a wavelength multiplexed optical signal is an extremely common practice in the art. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to perform such optical add/drop multiplexing in the method of Tager. One of ordinary skill in the art would have been motivated to do this since it provides the feature of access to each wavelength component/channel in a wavelength multiplexed optical signal, thus providing the benefit of maximum flexibility in processing each wavelength component/channel for various common practices, such as monitoring, wavelength assigning, regeneration, channel switching, etc..

Regarding claim 2, Tager does not expressly disclose:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1, wherein the predetermined proportion for performing the dispersion compensation process by the over compensation amount at the second dispersion compensation step is set so as to gradually *increase* together with the transmission distance from said terminal apparatus for transmission at which of said repeating apparatus is disposed on said light transmission line.

Rather, Tager shows a gradual decrease in Fig. 4. That is, there is less “over” compensation as the distance increases. However, it is a known and obvious technique to simply flip dispersion maps. Tager suggests such obviousness by mentioning over-compensation and under-compensation (end of paragraph [0032]). Accordingly, an obvious variation would include a gradual *increase*.

Regarding claim 3, Tager discloses:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1 wherein the predetermined proportion for performing the dispersion compensation process of the over compensation amount at the second dispersion compensation step is set so as to gradually decrease together with the transmission distance from said terminal apparatus for transmission at which of said

Art Unit: 2613

repeating apparatus is disposed on said light transmission line (Fig. 4, there is less "over" compensation as the distance increases).

Regarding claim 4, Tager discloses:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1, further comprising a residual dispersion compensation step executed by each said repeating apparatus of compensating, where a residual dispersion appears in an optical signal of each wavelength before and after the optical add/drop multiplexing process at the optical add/drop multiplexing step, for the residual dispersion (suggested by adjustable and tunable dispersion compensators of paragraphs [0033-0034]).

Regarding claim 5, Tager discloses:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 1, further comprising transmission side dispersion compensation step of performing a dispersion compensation process (Fig. 4, notice initial dispersion compensation adjacent to 115) which satisfies a transmission condition for a wavelength multiplexed optical signal to be transmitted in said terminal apparatus for transmission (this transmission condition is so broad as to include any number of suitable conditions, such as the amount or sign of dispersion compensation).

Regarding claim 6, Tager does not expressly disclose:

The wavelength division multiplexing optical repeating transmission method as claimed in claim 5, wherein the transmission condition relates to at least one of the kind of fiber, the transmission distance and the bit rate.

However, consider the example transmission condition provided in the treatment of claim 5 above: the amount or sign of dispersion compensation. Different kinds of fiber provide different amounts or signs of dispersion, so the transmission condition discussed can obviously be related to at least the kind of fiber.

Regarding claims 7-9, claims 7, 8, and 9 are apparatus claims that introduce limitations that correspond to the limitations introduced by method claims 1, 2, and 3, respectively. Therefore, the recited steps in method claims 1-3 read on the corresponding means in apparatus claims 7-9.

Regarding claim 10 and 11, Tager does not expressly disclose the variable dispersion compensation apparatus of claim 10 and the dispersion slope compensation apparatus of claim 11. However, both types of apparatuses are commonly known in the art. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to provide an obvious variation of the apparatus of Tager by implementing these types of apparatuses. One of ordinary skill in the art would have been motivated to do this since they are generally known to provide additional flexibility and precision in compensating dispersion.

Regarding claim 12, claim 12 is an apparatus claim that introduces limitations that correspond to the limitations introduced by method claim 4. Therefore, the recited steps in method claim 4 read on the corresponding means in apparatus claim 12.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Chraplyvy et al. is cited to show various dispersion maps (Figs. 3-4). Zhou et al. is cited to show dispersion compensation before and after an add/drop module (Fig. 4). Tanaka et al. is cited to show various dispersion maps (Figs. 7 and 15-24). Fuerst et al. is cited to show over compensation of dispersion (Fig. 2). Matsuoka et al. is cited to show dispersion compensation with add/drop modules. Fee et al. is cited to show over compensation of dispersion (Fig. 12). Ajgaonkar et al. is cited to show various dispersion maps (Figs. 7c-7d) and add/drop modules (Figs. 5, 7b, and 14-16). Essiambre et al. is cited to show a gradually varying dispersion map (Fig. 2). Kelly is cited to show dispersion compensation before and after an add/drop module (Fig. 2).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David S. Kim whose telephone number is 571-272-3033. The examiner can normally be reached on Mon.-Fri. 9 AM to 5 PM (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth N. Vanderpuye can be reached on 571-272-3078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2613

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DSK



KENNETH VANDERPUYE
SUPERVISORY PATENT EXAMINER